

# NUtec ink solution for Mimaki

The best UV ink for Mimaki printers, delivered in Mimaki bottle for easy use on your existing Mimaki Bulk System.



## NUtec A20-RTR-M

- ✔ Low odor UV inks
- ✔ For both Roll to Roll, as well as Rigid applications
- ✔ Optimised for the Mimaki printers
- ✔ Superior media adhesion and scratch resistance
- ✔ High density inks
- ✔ Available in 1 litre bottles in CMYK Lc Lm White colours & Varnish

# Ink Compatibility Overview

ICC PROFILES ARE AVAILABLE ON REQUEST

For further enquiries please contact the Signtrade sales department - info@signtrade.ch



<b>Printer Model</b>	<b>UJV500-160</b>
Mimaki ink types	LUS-120/ 150/ 200
Recommended NUtec ink	<b>A20-RTR-MI</b>
Recommended Chip	LUS-120
Available colours:	



<b>Printer Model</b>	<b>UJV55-320</b>
Mimaki ink types	LUS-120
Recommended NUtec ink	<b>A20-RTR-MI</b>
Recommended Chip	LUS-120
Available colours:	



<b>Printer Model</b>	<b>UCJV-150</b>
Mimaki ink types	LUS-170
Recommended NUtec ink	<b>A20-RTR-MI</b>
Recommended Chip	LUS-170
Available colours:	



<b>Printer Model</b>	<b>UCJV-300</b>
Mimaki ink types	LUS-170
Recommended NUtec ink	<b>A20-RTR-MI</b>
Recommended Chip	LUS-170
Available colours:	

DISCLAIMER: This information is based on the present knowledge known to Signtrade and shall not constitute a guarantee for any specific product features nor shall it establish a legally valid contractual relationship. Under no circumstances should Signtrade be responsible for any damage to print heads, including arising from improper capping fluids used by the dealer or end user, either directly or indirectly. This includes, but is not necessarily limited to, damages arising from improper and inaccurate flushing and maintenance procedures. E&OE



**Printer Model** **JFX200-2513 (+ EX)**

Mimaki ink types LUS-120/150/350 / LH-100  
 NUtec ink for LUS 120/150 A20-RTR-MI  
 Recommended Chip LUS-120

Available colours:



**Printer Model** **JFX200-2513**

Mimaki ink types LUS-120/150/350 / LH-100  
 NUtec ink for LUS 120/150 A20-RTR-MI  
 Recommended Chip LUS-120

Available colours:



**Printer Model** **JFX200-2531**

Mimaki ink types LUS-120/150/350 / LH-100  
 NUtec ink for LUS 120/150 A20-RTR-MI  
 Recommended Chip LUS-120

Available colours:



**Printer Model** **JFX500-2131**

Mimaki ink types LUS-120/150/350 / LH-100  
 NUtec ink for LUS 120/150 A20-RTR-MI  
 Recommended Chip LUS-120

Available colours:

DISCLAIMER: This information is based on the present knowledge known to Signtrade and shall not constitute a guarantee for any specific product features nor shall it establish a legally valid contractual relationship. Under no circumstances should Signtrade be responsible for any damage to print heads, including arising from improper capping fluids used by the dealer or end user, either directly or indirectly. This includes, but is not necessarily limited to, damages arising from improper and inaccurate flushing and maintenance procedures. E&OE



**Printer Model**

**UJF-7151**

Mimaki ink types LUS-120/150/350 / LH-100  
 NUtec ink for LUS 120/150 A20-RTR-MI  
 Recommended Chip LUS-120

Available colours:



**Printer Model**

**UJF-6042MKII**

Mimaki ink types LUS-120/150/350 / LH-100  
 NUtec ink for LUS 120/150 A20-RTR-MI  
 Recommended Chip LUS-120

Available colours:



**Printer Model**

**UJF-3042MKII**

Mimaki ink types LUS-120/150/350 / LH-100  
 NUtec ink for LUS 120/150 A20-RTR-MI  
 Recommended Chip LUS-120

Available colours:



**Printer Model**

**UJF-3042MKII EX**

Mimaki ink types LUS-120/150/350 / LH-100  
 NUtec ink for LUS 120/150 A20-RTR-MI  
 Recommended Chip LUS-120

Available colours:

DISCLAIMER: This information is based on the present knowledge known to Signtrade and shall not constitute a guarantee for any specific product features nor shall it establish a legally valid contractual relationship. Under no circumstances should Signtrade be responsible for any damage to print heads, including arising from improper capping fluids used by the dealer or end user, either directly or indirectly. This includes, but is not necessarily limited to, damages arising from improper and inaccurate flushing and maintenance procedures. E&OE